




































Product Selection Card
Spring 2017

LUNERA®









T8 LED Lamps -- Type A (Ballast Driven)								
Lunera LED	Gen	DLC Status	UL Type	Wattage	Max Lumens	Socket	Features	Options
T8 LED 4Ft Linear 	Gen 2	DLC 4.1	Type A (Ballast Driven)	11W	1,800	 Bi-pin G13	Thermal Fuse 5	P.E.T. Shatter Guard
				15W	2,200			
T8 LED 3Ft Linear 	Gen 1	No DLC Category (LDL Pending)	Type A (Ballast Driven)	11W	1,400		Thermal Fuse 4	
T8 LED 2Ft Linear 	Gen 2	DLC 4.1	Type A (Ballast Driven)	8W	1,200		Thermal Fuse 5	P.E.T. Shatter Guard
T8 LED 22in 6" U-Bend 	Gen 1	DLC 4.1 (Pending)	Type A (Ballast Driven)	12W	1,800		Thermal Fuse 4	
				15W	2,200			
T8 LED 22in 1-5/8" U-Bend 	Gen 1	No DLC Category	Type A (Ballast Driven)	12W	1,700	Thermal Fuse 4		
				17W	2,100			
T8 (T12) LED 8Ft Linear Single-Pin 	Gen 1	No DLC Category (LDL Pending)	Type A (Ballast Driven)	24W	3,500	 Single-pin Fa8	Thermal Fuse 4	P.E.T. Shatter Guard is standard on 8Ft
				33W	4,400			
T8 (T12) LED 8Ft Linear Bi-Pin 								



T5HO LED Lamps -- Type A (Ballast Driven)								
Lunera LED	Gen	DLC Status	UL Type	Wattage	Max Lumens	Socket	Features	Options
T5HO LED 4Ft Linear 	Gen 2	DLC 4.1	Type A (Ballast Driven)	25W	3,500	 Mini Bi-pin G5	Overdrive Protection	
T5* LED 4Ft Linear <small>* T5HO lamp used with a T5 ballast</small> 	Gen 2			11W	1,300		Overdrive Protection	
T5HO LED 2Ft Linear 	Gen 1	No DLC Category	Type A (Ballast Driven)	11W	1,400		Thermal Fuse 4	











T8 LED Lamps -- Type B (Ballast Bypassed)										
Lunera LED	Gen	DLC Status	UL Type	Wattage	Max Lumens	Socket	Features	Options		
T8 LED 4Ft Linear 	Gen 1	DLC 4.1	Type B (Single Ended)	15W	1,800		Universal Tombstone Technology	P.E.T. Shatter Guard		
			Type B (Double Ended)	14W	1,800					
				17W	2,200					
T8 LED 3Ft Linear 	Gen 1	No DLC Category (LDL Pending)	Type B (Single Ended)	12W	1,400			Universal Tombstone Technology		
			Type B (Double Ended)	12W	1,400					
T8 LED 2Ft Linear 	Gen 1	DLC 4.1	Type B (Single Ended)	9W	1,150				Universal Tombstone Technology	P.E.T. Shatter Guard
			Type B (Double Ended)	9W	1,200					
T8 LED 22in 6" U-Bend 	Gen 1	DLC 4.1	Type B (Ballast Bypassed)	15W	1,800					
				18W	2,200					
T8 LED 22in 1-5/8" U-Bend 	Gen 1	No DLC Category	Type B (Ballast Bypassed)	15W	1,700					
				18W	2,100					
T8 (T12) LED 8Ft Linear Single-Pin 	Gen 1	No DLC Category (LDL Pending)	Type B (Double Ended)	43W	5,500			 	Universal Tombstone Technology	P.E.T. Shatter Guard (standard on 8Ft)









T8 LED Lamps -- Type C (External LED Driver)										
Lunera LED	Gen	DLC Status	UL Type	Wattage	Max Lumens	Socket	Features	Options		
T8 LED 4Ft 2-Lamp Kit 	Gen 1	DLC 4.1	Type C (External Driver)	24W	3,600		Dimmable			
				30W	4,400					
T8 LED 4Ft 4-Lamp Kit 	Gen 1	DLC 4.1 (Pending)	Type C (External Driver)	48W	7,200			Dimmable		
				60W	8,800					
T8 LED 2Ft 2-Lamp Kit 	Gen 1	DLC 4.1 (Pending)	Type C (External Driver)	16W	2,400				Dimmable	
T8 LED 2Ft 4-Lamp Kit 	Gen 1	DLC 4.1 (Pending)	Type C (External Driver)	24W	4,800				Dimmable	

T5HO LED Lamps -- Type C (External LED Driver)								
Lunera LED	Gen	DLC Status	UL Type	Wattage	Max Lumens	Socket	Features	Options
T5HO LED 4Ft 2-Lamp Kit 	Gen 1	DLC 4.1	Type C (External Driver)	50W	7,000		Dimmable	

CFL LED -- Type A (Ballast Driven)								
Lunera LED	Gen	DLC Status	UL Type	Wattage	Max Lumens	Socket	Features	Options
CFL LED 4-pin G24Q 	Gen 4	DLC 4.1	Type A (Ballast Driven)	11W	1,250	4-pin G24Q 	Horizontal or Vertical	
CFL LED 2-pin G24D 	Gen 4	No DLC Category (LDL listed)	Type A (Ballast Driven)	13W	1,000	2-pin G24D 	Horizontal or Vertical	
CFL LED 2-pin GX23 	Gen 4	No DLC Category (LDL listed)	Type A (Ballast Driven)	5W	580	2-pin GX23 	Type A and Type B	
PLL LED 4-pin G11 	Gen 1	No DLC Category (LDL listed)	Type A (Ballast Driven)	22W	2,600	4-pin G11 	Type A or Type B	

CFL LED -- Type B (Ballast Bypassed)								
Lunera LED	Gen	DLC Status	UL Type	Wattage	Max Lumens	Socket	Features	Options
CFL LED 2-pin GX23 	Gen 4	No DLC Category (LDL listed)	Type B (Ballast Bypassed)	5W	580	2-Pin GX23 	Type B and Type A	
PLL LED 4-pin G11 	Gen 1	No DLC Category (LDL listed)	Type B (Ballast Bypassed)	23W	2,600	4-Pin G11 	Type B or Type A	

HID LED Lamps -- Type A (Ballast Driven)								
Lunera LED	Gen	DLC Status	UL Type	Wattage	Max Lumens	Socket	Features	Options
HID Vertical E39 Mogul Up to 400W 	Gen 3	No DLC Category	Type A (Ballast Driven)	207W	21,300	 E39/EX39 Mogul Screw		Uplight
				164W	17,900			
				95W	9,900			
				54W	5,700			
MH Vertical E39 Mogul 400W 	Gen 2	No DLC Category	Type A (Ballast Driven)	145W	17,400		No Fan (Thermal IQ cooling)	
HPS Vertical E39 Mogul 400W 	Gen 2	No DLC Category	Type A (Ballast Driven)	164W	13,000		No Fan (Thermal IQ cooling)	
HID 360° E39 Mogul Up to 250W 	Gen 3	No DLC Category	Type A (Ballast Driven)	90W	8,600		2000K/6Klm	
				53W	5,700			
MH Vertical E39 Mogul Up to 400W 	Gen 2	No DLC Category	Type A (Ballast Driven)	145W	13,100		180 Degree Lens	
				120W				
				94W	8,100			
				72W				
HPS Vertical E39 Mogul Up to 400W 	Gen 2	No DLC Category	Type A (Ballast Driven)	118W	9,400	180 Degree Lens		
				105W				
				83W				
				63W				
HID Vertical E26 Medium Up to 250W 	Gen 3	No DLC Category	Type A (Ballast Driven)	95W	9,900	 E26 Medium Screw		Uplight, Short Body, Type V Lens
				54W	5,700			
HID 360° E26 Medium Up to 250W 	Gen 3	No DLC Category	Type A (Ballast Driven)	90W	8,600		2000K/6Klm	
				53W	5,700			

HID LED Lamps -- Type B (Ballast Bypassed)								
Lunera LED	Gen	DLC Status	UL Type	Wattage	Max Lumens	Socket	Features	Options
HID Vertical E39 Mogul Up to 400W 	Gen 3	DLC 4.1	Type B (Ballast Bypassed)	207W	21,300	E39/EX39 Mogul Screw 		Uplight
				164W	17,900			
				95W	9,900			
				54W	5,700			
HID 360° E39 Mogul Up to 250W 	Gen 3		Type B (Ballast Bypassed)	90W	8,600	E39/EX39 Mogul Screw 	360 Degree Lens	2000K/6Klm
				53W	5,700			2000K/3.5Klm
HID Vertical E26 Medium Up to 250W 	Gen 3	No DLC Category (LDL Listed)	Type B (Ballast Bypassed)	95W	9,900	E26 Medium Screw 		Uplight, Short Body, Type V Lens
				54W	5,700			
HID 360° E26 Medium Up to 250W 	Gen 3	No DLC Category	Type B (Ballast Bypassed)	90W	8,600	E26 Medium Screw 	360 Degree Lens	2000K/6Klm
				53W	5,700			2000K/3.5Klm
HID Vertical Retrofit Kit Up to 400W 	Gen 3	DLC 4.1 (Pending)	Type B (Ballast Bypassed)	207W	21,300	Hardwired Clasp 		
				164W	17,900			
				95W	9,900			

To Find a Lunera Representative:

www.lunera.com/find-office-agent

To Locate an Authorized Distributor:

www.lunera.com/buy

For Product Information:

www.lunera.com

For Technical Support:

www.bit.ly/luneratechsupport